

SMS Incident Report

30/08/2021 08:06:13


Summary

CAD Number F3033399 **Status** Closed
Station St Kilda Station
Incident Started 04/07/2020 20:48:07 **Incident Ended** 05/07/2020 16:22:49
Incident Type 1101: Structure fire with damage
Common Name
Address [REDACTED]
Alarm Method 111 Telephone **Alarm Level** 3
PFA Number
Zone 362213
Map Grid E 1405957 **Map Grid N** 4914728
First Caller [REDACTED] **First Caller Contact** [REDACTED]
Incident Closed 05/07/2020 16:22:49
Report Completed 10:49, Thur 27 Aug 2020 by [REDACTED]

Responses

Call Sign	Type	Station Alert	Enroute Time	Arrival Time	Departed
STKI221	P1	20:50:27 04 Jul 2020	20:51:59 04 Jul 2020	20:54:02 04 Jul 2020	02:28:57 05 Jul 2020
DUNE211	P1	20:50:25 04 Jul 2020	20:51:51 04 Jul 2020	20:54:41 04 Jul 2020	00:01:29 05 Jul 2020
DUNE215	HP	20:50:25 04 Jul 2020	20:51:33 04 Jul 2020	20:55:18 04 Jul 2020	02:22:12 05 Jul 2020
LOOK237	PR	20:53:14 04 Jul 2020	20:54:05 04 Jul 2020	20:58:29 04 Jul 2020	00:18:52 05 Jul 2020
ROSL241	P1	20:53:16 04 Jul 2020	20:54:22 04 Jul 2020	20:59:53 04 Jul 2020	02:18:37 05 Jul 2020
WILL257	PR	21:09:42 04 Jul 2020	21:11:06 04 Jul 2020	21:16:55 04 Jul 2020	22:55:58 04 Jul 2020
RAVE281	P1	21:09:40 04 Jul 2020	21:12:56 04 Jul 2020	21:20:13 04 Jul 2020	23:46:28 04 Jul 2020
REGION5B	OF	21:12:36 04 Jul 2020	21:12:37 04 Jul 2020	21:21:34 04 Jul 2020	00:23:06 05 Jul 2020
DUNE2118	CUHU	20:53:12 04 Jul 2020	21:29:27 04 Jul 2020	21:32:00 04 Jul 2020	12:56:27 05 Jul 2020
FIOTAGO4	FSO	21:31:49 04 Jul 2020	21:31:50 04 Jul 2020	21:37:13 04 Jul 2020	01:03:47 05 Jul 2020
MOSG311	P1	22:01:57 04 Jul 2020	22:03:18 04 Jul 2020	22:07:01 04 Jul 2020	23:27:10 04 Jul 2020

DUNE213	P3	22:09:41 04 Jul 2020	22:09:42 04 Jul 2020	22:10:45 04 Jul 2020	01:34:30 05 Jul 2020
DUNE212	P2	00:55:51 05 Jul 2020	00:55:52 05 Jul 2020	01:00:27 05 Jul 2020	03:32:51 05 Jul 2020
FIOTAGO2	FSO	06:17:46 05 Jul 2020	06:17:47 05 Jul 2020	09:06:41 05 Jul 2020	16:18:56 05 Jul 2020



Elapsed Times

Call Sign	Start To Alert	Alert To Arrival	Start To Arrival	Start To Departed
STKI221	00:02:20	00:03:35	00:05:55	05:40:50
DUNE211	00:02:18	00:04:16	00:06:34	03:13:22
DUNE215	00:02:18	00:04:53	00:07:11	05:34:05
LOOK237	00:05:07	00:05:15	00:10:22	03:30:45
ROSL241	00:05:09	00:06:37	00:11:46	05:30:30
WILL257	00:21:35	00:07:13	00:28:48	02:07:51
RAVE281	00:21:33	00:10:33	00:32:06	02:58:21
REGION5B	00:24:29	00:08:58	00:33:27	03:34:59
DUNE2118	00:05:05	00:38:48	00:43:53	16:08:20
FIOTAGO4	00:43:42	00:05:24	00:49:06	04:15:40
MOSG311	01:13:50	00:05:04	01:18:54	02:39:03
DUNE213	01:21:34	00:01:04	01:22:38	04:46:23
DUNE212	04:07:44	00:04:36	04:12:20	06:44:44
FIOTAGO2	09:29:39	02:48:55	12:18:34	19:30:49

Notifications

Date	Time	Party Notified
04 Jul 2020	20:53:52	POLICE VIA INTERCAD
04 Jul 2020	20:53:52	AMBULANCE VIA INTERCAD
04 Jul 2020	20:54:05	AREA OTAGO (RE 2ND ALARM)
04 Jul 2020	20:57:57	██████████ ACK'D
04 Jul 2020	21:00:38	POWER - WILL GET SOMEONE THERE ASAP
04 Jul 2020	21:06:10	PAGED ON CALL AREA OTAGO RE COMMAND UNIT
04 Jul 2020	21:14:30	PAGED FI REGION 5
04 Jul 2020	21:18:24	FI ██████████

04 Jul 2020	21:18:37	PAGED REGION 5 DUTY (RE THIRD ALARM)
04 Jul 2020	21:18:48	FI [REDACTED] ACK PAGE AND PUT THROUGH TO [REDACTED] CELL
04 Jul 2020	21:24:24	[REDACTED] (ON CALL REGION5 DUTY) ACK'D
04 Jul 2020	21:41:45	NATIONAL MEDIA NOTIFIED
04 Jul 2020	22:50:23	POLICE VIA INTERCAD
04 Jul 2020	23:17:53	VSO REGION 5 (DUTY)
04 Jul 2020	23:23:15	VSO REGION 5 [REDACTED] ACK PAGE AND PUT THROUGH TO [REDACTED] C
05 Jul 2020	09:17:19	DCC
05 Jul 2020	10:04:20	DCC
05 Jul 2020	10:22:12	AURORA ENERGY

Message Log

Time	Message
20:50:00	INC INFO: SMOKE SHOWING FROM ROOF
20:50:20	** Recommended unit DUNE215 for requirement AERIAL (>2.5 km) ** Recommended uni
20:50:20	t STKI221 for requirement PUMP (>1.0 km) ** Recommended unit DUNE211 for requir
20:50:20	ement PUMP (>2.5 km)
20:50:22	NEXT TO [REDACTED]
20:50:22	PA Selcal used to Initiate Alerting. (DUNE215 at 3621 DUNEDIN 195211)
20:50:22	PA Selcal used to Initiate Alerting. (STKI221 at 3622 ST KILDA 195221)
20:50:23	PA Selcal used to Initiate Alerting. (DUNE211 at 3621 DUNEDIN 195211)
20:50:25	ALERTING_COMPLETED DUNE215
20:50:25	ALERTING_COMPLETED DUNE211
20:50:27	ALERTING_COMPLETED STKI221
20:50:36	ALSO TO [REDACTED]
20:51:03	FOREIGN LANGUAGE SIGN ON BUILDING SO [REDACTED] DOESN'T KNOW NAME OF BUSINESS
20:51:10	SMOKE GETTING STRONGER NOW, FILLING STREET
20:51:33	** LOI search completed at 04/07/20 20:51:33
20:51:34	Unit DUNE215 [K1 : PROCEEDING TO INCIDENT]
20:51:51	Unit DUNE211 [K1 : PROCEEDING TO INCIDENT]
20:51:59	Unit STKI221 [K1 : PROCEEDING TO INCIDENT]
20:52:04	Unit DUNE211 [KC : UNIT CALLING]
20:52:17	Unit STKI221 [KC : UNIT CALLING]
20:52:17	INC INFO: SMOKE SHOWING FROM ROOF
20:52:29	INC INFO: BUILDING ON FIRE
20:52:33	JUST PAST [REDACTED]

20:52:37 INC INFO: BUILDING FIRE

20:53:02 INC INFO: BUILDING FIRE TX 2ND ALARM

20:53:07 ** Alarm level updated to 2

20:53:07 ** Recommended unit DUNE2118 for requirement COMU (>2.5 km)
** Recommended unit

20:53:07 LOOK237 for requirement PUMP (>2.8 km)
** Recommended unit ROSL241 for require

20:53:07 ment PUMP (>3.5 km)

20:53:09 PA Selcal used to Initiate Alerting. (DUNE2118 at 3621 DUNEDIN 195211)

20:53:10 PA Selcal used to Initiate Alerting. (LOOK237 at 3623 LOOKOUT POINT 195231)

20:53:10 PA Selcal used to Initiate Alerting. (ROSL241 at 3624 ROSLYN 195241)

20:53:12 ALERTING_COMPLETED DUNE2118

20:53:15 ALERTING_COMPLETED LOOK237

20:53:17 ALERTING_COMPLETED ROSL241

20:53:17 HYDRANT OUTSIDE [REDACTED]

20:53:18 INC INFO: BUILDING FIRE

20:53:33 FIR2AMB - FYI NOTIFICATION ONLY - 2ND ALARM BUILDING FIRE

20:53:41 FIR2POL - FYI NOTIFICATION ONLY - 2ND ALARM BUILDING FIRE

20:53:51 AMBO EVENT 0444-3-2020/07/04-FIR LINKED AT 04/07/2020 20:53:51

20:54:02 Unit STKI221 [K88 : PROPERTY SMALL]

20:54:05 Unit LOOK237 [K1 : PROCEEDING TO INCIDENT]

20:54:23 Unit ROSL241 [K1 : PROCEEDING TO INCIDENT]

20:54:38 Unit STKI221 [COMCEN COM : MESSAGE] FURTHER INFO PASSED (TX SECOND ALARM)

20:54:41 Unit DUNE211 [K2 : IN ATTENDANCE AT INCIDENT]

20:55:18 Unit DUNE215 [K2 : IN ATTENDANCE AT INCIDENT]

20:57:12 .

20:58:16 T3 - [REDACTED] GAVE ADDRESS NUMBER THAT DIDN'T EXIST, DIDN'T KNOW SIDE ROADS, EVENT

20:58:16 UALLY VERIFIED WITH BUSINESS NEARBY

20:58:17 .

20:58:24 Unit STKI221 [KC : UNIT CALLING]

20:58:29 Unit LOOK237 [K2 : IN ATTENDANCE AT INCIDENT]

20:58:39 Unit LOOK237 [COMCEN COM : MESSAGE] FURTHER INFO PASSED, CAN YOU CONFIRM WITH TH

20:58:39 E OIC ON YOUR ARRIVAL WHETHER DUNE2118 ETXT PROCEDURE IS REQUIRED DUE K88 ARRIVA

20:58:39 L

20:59:53 Unit ROSL241 [K2 : IN ATTENDANCE AT INCIDENT]

21:00:03 Unit STKI221 [SITREP :] [REDACTED], 2 CREWS MAKING ENTRY, GROUND FLOOR LOOKIN

21:00:03 G FOR ACCESS TO UPPER LEVELS, CONDUCTING 360, 215 IS ESTABLISHING FOR AN EXTERIO

21:00:03 R VIEW FROM UP THE TOP

21:00:07 Unit STKI221 [K11E : ELECTRICAL AUTHORITY REQUIRED]
21:00:14 Unit STKI221 [K11P : POLICE REQUIRED] TRAFFIC CONTROL
21:00:26 Unit DUNE215 [KC : UNIT CALLING]
21:00:38 Unit STKI221 [COMCEN COM : MESSAGE] CAN YOU CONFIRM WHETHER COMMAND UNIT IS REQUIRED, DO WE ACTIVATE ETXT? (AFFIRM REQUIRED, ACTIVATE PROCEDURE)
21:00:38 .
21:00:57 .
21:01:00 FIR2POL - POLICE REQ
21:01:18 FIR2POL - POLICE REQUIRED FOR ROAD CLOSURE
21:01:33 Unit DUNE215 [SITREP :] HAVE FURTHER RESPONDING APPLIANCES CONTACT US ON COMMA
21:01:33 ND CHANNEL
21:01:45 Unit LOOK237 [COMCEN COM : MESSAGE] CONTACT OIC ON COMMAND CHANNEL
21:01:45 Unit ROSL241 [COMCEN COM : MESSAGE] CONTACT OIC ON COMMAND CHANNEL
21:03:04 Unit ROSL241 [KC : UNIT CALLING]
21:03:19 Unit ROSL241 [KC : UNIT CALLING]
21:03:44 Unit ROSL241 [SITREP :] SFP FOR INCIDENT IS INTERSECTION OF HILLSIDE/KING EDWA
21:03:44 RD
21:06:17 Unit STKI221 [KC : UNIT CALLING]
21:08:01 Unit STKI221 [SITREP :] WE HAVE SECTOR 1 ESTABLISHED FIREFIGHTING CREWS + LADD
21:08:01 ER, SECTOR 3 EXPOSURE PROTECTION, READY FOR FIRE ATTACK, ALL CREWS FULLY COMMITT
21:08:01 ED (WHAT IS THE INCIDENT ADDRESS) AT THIS STAGE UNIDENTIFIABLE, WILL LET YOU KNO
21:08:01 W
21:08:43 Unit DUNE215 [KP : PRIORITY MESSAGE]
21:09:20 Unit DUNE215 [SITREP :] [REDACTED], TX 3RD ALARM, MULTIPLE DELS IN USE AND BA
21:09:33 ** Alarm level updated to 3
21:09:33 ** Recommended unit WILL257 for requirement PUMP (>4.5 km)
21:09:33 ** Recommended unit
21:09:33 RAVE281 for requirement PUMP (>5.4 km)
21:09:35 Unit STKI221 [KP : PRIORITY MESSAGE]
21:09:37 PA Selcal used to Initiate Alerting. (WILL257 at 3625 WILLOWBANK 195251)
21:09:37 Station Selcal used to Initiate Alerting. (RAVE281 at 3628 RAVENSBORNE 195281)
21:09:40 ALERTING_COMPLETED RAVE281
21:09:42 ALERTING_COMPLETED WILL257
21:09:48 INC INFO: BUILDING FIRE TX 3RD ALARM
21:10:48 AL: PAGING ACK RECEIVED FROM STATION 3625 at 04/07/20 21:10:48
21:10:55 AL: PAGING ACK RECEIVED FROM STATION 3628 at 04/07/20 21:10:55
21:10:58 Unit STKI221 [REDACTED]
21:11:03 .

21:11:06 Unit WILL257 [K1 : PROCEEDING TO INCIDENT]
21:11:19 FIR2AMB - [REDACTED]
21:11:19 [REDACTED]
21:11:43 .
21:11:46 FIR2POL - [REDACTED]
21:12:28 COVERING UNIT MOSG311 DISPATCHED TO STATION LOOKOUT POINT AT 04/07/20
21:12:28 >
21:12:37 Unit REGION5B [K1 : PROCEEDING TO INCIDENT]
21:12:57 Unit RAVE281 [K1 : PROCEEDING TO INCIDENT]
21:13:07 Unit STKI221 [KC : UNIT CALLING]
21:13:33 Unit RAVE281 [COMCEN COM : MESSAGE] FURTHER INFO PASSED
21:13:34 INC INFO: SMOKE IN THE AREA
21:13:47 Unit STKI221 [K11F : FIRE SAFETY REQUIRED]
21:14:11 Unit STKI221 [SITREP :] STILL TRYING TO CONFIRM NUMBER
21:14:28 .
21:14:47 DELAYED ENTRY - COMMAND UNIT ETXT PAGED OUT @
21:14:54 Unit REGION5B [COMCEN COM : MESSAGE] FURTHER INFO PASSED
21:14:55 Unit WILL257 [COMCEN COM : MESSAGE] FURTHER INFO PASSED
21:15:19 DELAYED ENTRY - COMMAND UNIT EXT X PAGED OUT @2021 HRS - 3 PERSONNEL
NOW CONFIRME
21:15:19 D
21:15:21 .
21:15:54 CORRECTION - 2102 HRS
21:15:56 .
21:16:15 ETXT SENT FOR STAGE 2 CALLOUT TO DUNEDIN BLUE WATCH @2114 HRS
21:16:16 .
21:16:56 Unit WILL257 [K2 : IN ATTENDANCE AT INCIDENT]
21:18:10 *
21:20:13 Unit RAVE281 [K2 : IN ATTENDANCE AT INCIDENT]
21:20:19 .
21:20:25 MOSG311 PROCEEDING TO POINT, 1+4
21:21:34 Unit REGION5B [K2 : IN ATTENDANCE AT INCIDENT]
21:24:33 [REDACTED] - CAN YOU ATTACH [REDACTED] FIOTAGO4, [REDACTED] WILL GO AND
ASSESS
21:24:33 - WILL LET YOU KNOW WHAT IS HAPPENING
21:28:13 .
21:29:28 Unit DUNE2118 [K1 : PROCEEDING TO INCIDENT]
21:30:10 Unit FIOTAGO4 [KC : UNIT CALLING]
21:30:21 INC INFO: BUILDING FIRE
21:31:46 Unit FIOTAGO4 [SITREP :] CAN YOU ATTACH [REDACTED] TO THE EVENT IN DUNEDIN
21:31:50 Unit FIOTAGO4 [K39 : RE-TRANSMIT YOUR CURRENT STATUS]

21:31:50 Unit FIOTAGO4 [K1 : PROCEEDING TO INCIDENT]
21:32:00 Unit DUNE2118 [K2 : IN ATTENDANCE AT INCIDENT]
21:32:18 Unit FIOTAGO4 [SITREP :] CONFIRM SFP HILLSIDE/KING EDWARD (CORRECT)
21:34:38 Alarm Timer Extended: 0
21:35:25 Alarm Timer Extended: 0
21:35:26 Alarm Timer Extended: 0
21:37:08 INC INFO: SMOKE IN THE AREA
21:37:13 Unit FIOTAGO4 [K2 : IN ATTENDANCE AT INCIDENT]
21:38:55 Alarm Timer Extended: 0
21:39:40 .
21:39:46 EXT SENT AT REQUEST OF DUNEDIN CITY STATION - 2 MORE FIGHTERS REQUESTED FOR STAG
21:39:46 E 2 CALLOUT - SENT @2136
21:39:48 .
21:41:35 Alarm Timer Extended: 0
21:43:08 Unit DUNE2118 [KC : UNIT CALLING]
21:43:21 Unit DUNE2118 [K44 : COMMAND OR CONTROL POINT ESTABLISHED - OIC AND LOCATION] H
21:43:21 ILLSIDE COMMAND
21:44:00 Unit DUNE2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] ██████████
21:44:14 Unit DUNE2118 [SITREP :] CREWS BEING WITHDRAWN FROM THE BUILDING DUE TO UNSAFE
21:44:14 CONDITIONS ██████████ AFFIRM, UNKNOWN
21:53:18 INC INFO: SMOKE IN THE AREA
21:57:23 Alarm Timer Extended: 0
21:59:27 Unit DUNE2118 [KP : PRIORITY MESSAGE]
21:59:36 Unit DUNE2118 [KP : PRIORITY MESSAGE]
22:00:41 Unit DUNE2118 [SITREP :] ██████████, RESPOND MOSG312 WITH BA CREW (CONFIRM YOU R
22:00:41 EQUIRE MOSG312 SPECIFICALLY, IS CURRENTLY UNMANNED AT MOSGIEL STATION, MOSG311 I
22:00:41 S STANDING BY AT POINT)
22:01:06 STAGE 2 CALLOUT FILLED - 3 YES ON EXT - CALLOUT FILLED EXT SENT
22:01:08 .
22:01:47 Unit DUNE2118 [SITREP :] TURNOUT MOSG311 TO INCIDENT, MOSG312 TO POINT
22:01:55 PA Selcal used to Initiate Alerting. (MOSG311 at 3623 LOOKOUT POINT 195231)
22:01:57 ALERTING_COMPLETED MOSG311
22:02:43 Alarm Timer Extended: 0
22:02:44 Alarm Timer Extended: 0
22:03:18 Unit MOSG311 [K1 : PROCEEDING TO INCIDENT]
22:06:13 COVERING UNIT MOSG312 DISPATCHED TO STATION LOOKOUT POINT AT 04/07/20
22:06:12 >
22:06:28 .

22:06:48 DUNE213 CREWED, HEADING TO INCIDENT GROUND TO UPLIFT A PRT

22:07:01 Unit MOSG311 [K2 : IN ATTENDANCE AT INCIDENT]

22:09:43 Unit DUNE213 [K1 : PROCEEDING TO INCIDENT]

22:10:45 Unit DUNE213 [K2 : IN ATTENDANCE AT INCIDENT]

22:11:13 RAVE2826 HAVE 4 CREW AVAILABLE IF REQUIRED

22:11:14 .

22:12:18 Alarm Timer Extended: 0

22:16:45 ** Cross Referenced to Event # F3033427 at: 04/07/20 22:16:45

22:17:21 Alarm Timer Extended: 0

22:29:09 Unit DUNE2118 [KC : UNIT CALLING]

22:29:17 Unit DUNE2118 [KC : UNIT CALLING]

22:29:25 Unit DUNE2118 [KC : UNIT CALLING]

22:29:43 Unit DUNE2118 [KC : UNIT CALLING]

22:29:52 Unit DUNE2118 [KC : UNIT CALLING]

22:32:14 Unit DUNE2118 [SITREP :] STILL IN DEFENCE MODE, ALL PERSONNEL COMMITTED, AERIA

22:32:14 L IN USE, MULTIPLE DELS AND BA WEARERS

22:34:10 .

22:35:56 DUNEDIN CITY STATION [REDACTED] REQUESTS EXT SENT OUT - STAGE 2 - ANOTHER C

22:35:56 REW REQUIRED - EXT SENT @2233 HRS

22:35:58 .

22:42:23 DUNEDIN CITY STATION ADVISED OF 3 YES RESPONSES - ANOTHER HAS RUNG STATION - 2 M

22:42:23 ORE REQUIRED SO NOT CANCELLING EXT YET...

22:42:25 .

22:50:12 *****

22:50:25 ** Cross Referenced to Event # F3033427 at: 04/07/20 22:50:25

22:50:28 Alarm Timer Extended: 0

22:50:36 *****

22:52:33 ADVISED 2118 OF DETAILS [REDACTED]. SPOKE TO [REDACTED] CONFIRMED [REDACTED]

22:52:33 [REDACTED] IS AWARE OF THE FIRE IN [REDACTED] BUILDING. [REDACTED]

22:52:33 [REDACTED] THE PROPERTY.

22:52:36 *****

22 55:13 Unit DUNE2118 [SITREP :] AERIAL NO LONGER IN OPERATION. STARTING TO MAKE HEADW

22:55:13 AY.

22:55:50 .

22:55:58 Unit WILL257 [K9 : OFF RT - STATE LOCATION]

22:56:01 DUNE212 K0, WILL257 K9-21

22:56:23 Alarm Timer Extended: 0

23:11:23 DUNE212 K7, WILL257 STILL K9-21
23:11:25 .
23:14:16 Unit DUNE2118 [KC : UNIT CALLING]
23:14:45 Unit DUNE2118 [SITREP :] [REDACTED], SECTOR 1 IS NOW IN INTERNAL OFFENSIVE CUT O
23:14:45 FF
23:15:09 .
23:15:30 STAGE 2 CALLOUT FILLED - ETXT SENT AT REQUEST OF [REDACTED], DUNEDIN CITY STA
23:15:30 TION
23:15:32 .
23:15:48 Unit DUNE2118 [KC : UNIT CALLING]
23:16:49 Unit DUNE2118 [SITREP :] CAN WE HAVE THE ON DUTY [REDACTED] CONTACT [REDACTED] ON [REDACTED]
23:16:49 [REDACTED]
23:21:25 [REDACTED] - [REDACTED] IS STILL ON SCENE HELPING IN LOGISTICS ROLE - WE WILL
23:21:25 MEET ON SCENE AT 0900HRS TOMORROW
23:23:15 [REDACTED]
23:27:11 Unit MOSG311 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]
23:46:03 Unit RAVE281 [KC : UNIT CALLING]
23:46:28 Unit RAVE281 [K10 : RECOMMISSIONING]
23:54:38 Unit DUNE2118 [KC : UNIT CALLING]
23:55:44 Unit DUNE2118 [SITREP :] [REDACTED]. IN PROCESS OF RELEASING SEVERAL CREWS FOR K
23:55:44 10 AND CURRENTLY K42
23:55:56 Unit DUNE2118 [K42 : FIRE SUPPRESSED, COMMENCING OVERHAUL]
00:01:08 Unit DUNE211 [KC : UNIT CALLING]
00:01:29 Unit DUNE211 [K10 : RECOMMISSIONING]
00:17:27 Unit DUNE2118 [KC : UNIT CALLING]
00:17:47 Unit LOOK237 [KC : UNIT CALLING]
00:18:41 Unit DUNE2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]
00:18:52 Unit LOOK237 [K10 : RECOMMISSIONING]
00:23:06 Unit REGION5B [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:43:08 Unit DUNE2118 [KC : UNIT CALLING]
00:43:16 Unit DUNE2118 [KC : UNIT CALLING]
00:43:24 Unit DUNE2118 [KC : UNIT CALLING]
00:44:11 Unit DUNE2118 [SITREP :] CONTINUING WITH AERIAL OPERATIONS, 3 CREWS ON SITE
00:55:52 Unit DUNE212 [K1 : PROCEEDING TO INCIDENT]
00:56:23 Unit DUNE211 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
00:57:55 Unit FIOTAGO4 [SITREP :] [REDACTED] FREE FOR THE JOB - [REDACTED] HAVE DONE ALL [REDACTED] CAN

00:57:55 DO TONIGHT - RETURNING IN THE MORNING APPROX 0900HRS

01:00:27 Unit DUNE212 [K2 : IN ATTENDANCE AT INCIDENT]

01:03:38 Unit DUNE2118 [KC : UNIT CALLING]

01:03:47 Unit FIOTAGO4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

01:03:53 Unit DUNE211 [K2 : IN ATTENDANCE AT INCIDENT]

01:04:54 Unit DUNE2118 [K11P : POLICE REQUIRED]

01:05:51 Unit DUNE2118 [SITREP :] [BY PHONE] HAVE LOCATED A MOBILE PHONE, [REDACTED]

01:05:51 [REDACTED]

01:06:21 FIR2POL - REQUEST A POLICE UNIT TO THE FIRE COMMAND UNIT, HAVE LOCATED A MOBILE

01:06:21 PHONE, [REDACTED]

01:06:21 [REDACTED] WOULD LIKE POLICE TO TAKE A LOOK

01:06:23 .

01:28:08 Unit DUNE2118 [KC : UNIT CALLING]

01:28:38 Unit DUNE2118 [K26-1 : APPLIANCE STILL ENGAGED NO ADDITIONAL DEVELOPMENTS]

01:31:42 Unit DUNE213 [KC : UNIT CALLING]

01:34:30 Unit DUNE213 [K7 : AT NORMAL STATION]

01:40:47 Alarm Timer Extended: 0

01:44:15 Alarm Timer Extended: 0

02:17:59 Unit DUNE215 [KC : UNIT CALLING]

02:18:19 Unit DUNE215 [SITREP :] WE HAVE COMPLETED AERIAL OPERATIONS

02:18:24 Unit ROSL241 [KC : UNIT CALLING]

02:18:26 Unit DUNE215 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]

02:18:37 Unit ROSL241 [K10 : RECOMMISSIONING]

02:20:26 Unit DUNE2118 [KC : UNIT CALLING]

02:21:05 Unit DUNE2118 [COMCEN COM : MESSAGE] ARE YOU ABLE TO CONFIRM THE ADDRESS NUMBER

02:21:05 (NEGATIVE, WILL TRY TO SORT THAT OUT FOR YOU)

02:22:12 Unit DUNE215 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

02:28:57 Unit STKI221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

02:37:37 Unit DUNE211 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

02:38:42 Unit LOOK237 [K2 : IN ATTENDANCE AT INCIDENT]

02:40:32 Unit LOOK237 [K2 : IN ATTENDANCE AT INCIDENT]

02:52:23 Unit LOOK237 [KC : UNIT CALLING]

02:52:55 Unit LOOK237 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]

03:30:13 Alarm Timer Extended: 0

03:32:34 Unit DUNE212 [KC : UNIT CALLING]

03:32:52 Unit DUNE212 [K7 : AT NORMAL STATION]

03:38:54 Unit LOOK237 [SITREP :] DAMPENING DOWN HOTSPOTS WITH USE OF 1 HR, 4 FFS ON FIR

03:38:54 EGROUND

04:20:24 ** Event Location changed from ' [REDACTED] ' to
[REDACTED]

04:20:24 [REDACTED] " at: 05/07/20 04:20:24

04:21:34 ** LOI search completed at 05/07/20 04:21:34

04:36:36 Unit LOOK237 [SITREP :] WAITING TO BE REALEASED - MONITORING HOT SPOTS -
SUPPL

04:36:36 YING SECURITY FOR SECTOR 1 AND 3

05:01:30 Unit ROSL241 [K2 : IN ATTENDANCE AT INCIDENT]

05:01:39 Unit ROSL241 [K2 : IN ATTENDANCE AT INCIDENT]

05:19:09 Unit ROSL241 [KC : UNIT CALLING]

05:19:31 Unit ROSL241 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]

05:26:34 Unit LOOK237 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

05:48:11 Alarm Timer Extended: 0

06:17:47 Unit FIOTAGO2 [K1 : PROCEEDING TO INCIDENT]

06:34:53 Unit STKI221 [K1 : PROCEEDING TO INCIDENT]

06:37:25 Unit STKI221 [K2 : IN ATTENDANCE AT INCIDENT]

06:41:16 Unit DUNE2118 [SITREP :] [REDACTED] STILL INVESTIGATING HOT SPOTS
CURRENTLY

06:41:45 Unit DUNE2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]
[REDACTED]

06:52:31 Unit ROSL241 [K3 : ON RT OUTSIDE NORMAL TURNOUT AREA]

07:36:41 Alarm Timer Extended: 0

08:42:24 Unit DUNE215 [K2 : IN ATTENDANCE AT INCIDENT]

08:42:28 Unit DUNE211 [K1 : PROCEEDING TO INCIDENT]

08:42:36 Unit DUNE211 [K2 : IN ATTENDANCE AT INCIDENT]

08:42:56 Unit DUNE215 [SITREP :] IF YOU NEED TO CONTACT US, CONTACT US VIA PHONE

08:51:31 Unit FIOTAGO4 [K1 : PROCEEDING TO INCIDENT]

08:58:05 Unit FIOTAGO2 [K1 : PROCEEDING TO INCIDENT]

09:01:55 Unit FIOTAGO4 [K2 : IN ATTENDANCE AT INCIDENT]

09:06:42 Unit FIOTAGO2 [K2 : IN ATTENDANCE AT INCIDENT]

09:16:36 Unit DUNE211 [SITREP :] [REDACTED] CAN YOU CONTACT THE DCC TO RESPOND AS
THIS

09:16:36 BUILDING IS UNSAFE, PARTIAL COLLAPSE AND THERE IS THE POSSIBILITY OF
FURTHER COL

09:16:36 LAPSE. BUILDING GOES RIGHT THROUGH FROM [REDACTED]
[REDACTED]

09:17:18 .

09:21:49 Unit DUNE211 [K22-1 : UNIT AVAILABLE FOR A FURTHER EVENT]

09:22:02 [REDACTED]

09:22:02 [REDACTED]

09:22:02 [REDACTED]

09:22:27 DCC WILL CALL BACK WITH ETA

09:25:29 Alarm Timer Extended: 0

09:32:13 Unit DUNE2118 [KC : UNIT CALLING]
09:32:35 Unit DUNE2118 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]
09:33:28 Unit DUNE2118 [SITREP :] FI ON SCENE DUNE215 AERIAL APPLIANCE BEING UTILISED T
09:33:28 O LOOK AT HOTSPOTS IN ROOF WITH TIC
09:43:23 Alarm Timer Extended: 0
09:55:07 Alarm Timer Extended: 0
10:04:08 Unit DUNE211 [SITREP :] (VIA PHONE) ANY ETA FOR DCC? TRAFFIC MANAGEMENT ARE HE
10:04:08 RE SETTING UP A TEMPORARY FOOTPATH-AWAITING DCC- HOPING TO OPEN UP [REDACTED]
10:04:08 [REDACTED]
10:04:50 Alarm Timer Extended: 0
10:06:47 DCC REP IS ON THE WAY - NO ETA BUT WONT BE LONG
10:14:40 .
10:14:48 ETA PASSED TO [REDACTED]
10:21:36 Unit DUNE211 [K11E : ELECTRICAL AUTHORITY REQUIRED] RETURN AND RESTORE POWER TO
10:21:36 OTHER BUSINESS IN THE BLOCK
10:23:10 WILL ADVISE ETA
10:23:12 .
10:23:22 [REDACTED]
10:23:22 [REDACTED]
10:23:23 [REDACTED]
10:26:55 Unit DUNE215 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
10:27:10 .
10:27:17 ETA AURORA 30 MINS
10:31:09 Unit DUNE211 [COMCEN COM : MESSAGE] ETA AURORA 30MINS
10:41:52 Unit STKI221 [KC : UNIT CALLING]
10:42:03 Unit DUNE211 [K7 : AT NORMAL STATION]
10:42:24 Unit STKI221 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
10:42:32 Unit STKI221 [K45 : COMMAND RESPONSIBILITY CHANGED TO - NAME] [REDACTED]
10:42:32 [REDACTED]
10:42:32 [REDACTED]
10:47:45 Unit STKI221 [SITREP :] - MANUAL TIME ENTERED 05/07/20 10:47:20 DCC NOW ON SITE
10:47:45 E
12:56:16 Unit FIOTAGO4 [SITREP :] WE ARE STILL IN ATTENDANCE.
12:56:28 Unit DUNE2118 [K7 : AT NORMAL STATION]
13:37:28 [REDACTED]
13:37:28 [REDACTED]
13:37:28 [REDACTED]
16:18:57 Unit FIOTAGO2 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]

16:20:54	Unit FIOTAGO4 [SITREP :] (VIA PHONE) INVESTIGATION COMPLETE- FI'S LEAVING THE
16:20:54	SCENE NOW
16:21:12	Unit FIOTAGO4 [K4 : ON RT INSIDE NORMAL TURNOUT AREA]
16:22:34	UNIT 'FIOTAGO4' ALERT TIME '[NULL]' ADJUSTED TO '20200704213149NS' AT '05/07/202
16:22:34	UNIT 'DUNE213' ALERT TIME '[NULL]' ADJUSTED TO '20200704220941NS' AT '05/07/2020
16:22:34	UNIT 'REGION5B' ALERT TIME '[NULL]' ADJUSTED TO '20200704211236NS' AT '05/07/202
16:22:35	UNIT 'DUNE212' ALERT TIME '[NULL]' ADJUSTED TO '20200705005551NS' AT '05/07/2020
16:22:35	UNIT 'FIOTAGO2' ALERT TIME '[NULL]' ADJUSTED TO '20200705061746NS' AT '05/07/202
16:22:48	INCIDENT STOP TIME [NULL] ADJUSTED TO 20200704205403NS AT 05/07/2020 16:22:48
16:22:48	>> ** Assigned Result Code: STRU, Detailed Event Type: 1100

Incident

CAD Number F3033399
Incident Reporter [REDACTED]
Incident Controller
Distance Travelled (km)
Delay In Receiving Call

Property Details

Occupant [REDACTED]
Building Owner [REDACTED]
General Property Use Church, Cemetery, Religious use
Special Property Use Flats, Apartments, Units 1 to 2
Purpose Group

Actions

Persons Reported Trapped
Evacuation Status Not occupied at time of incident
Action Prior 1
Action Prior 2
Action Taken Extinguishment, salvage and ventilation

Civilians

Civilians Rescued	0
Civilians Extricated	0
Civilians Assisted	0

Civilians Evacuated

0

Origin**Location** Unable to classify**Level** Roof space**Equipment Used**

Quantity	Equipment
1	Low pressure delivery
1	Monitor
1	Aerial Ladder/Platform
1	Positive Pressure Ventilation Fan (PPV)
1	Rescue saw
1	Aerial Ladder/Platform

Equipment Involved

Equipment Involved

Year**Make****Model****Fire****Arrival Condition** Small fire**Heat Source** Unable to classify**Termination Stage****First Object Ignited****First Object Material****Second Object Ignited****Second Object Material****Indicated Cause** Undetermined**Certainty of Cause** Medium**Age of Person****Ethnicity****Gender****FAIP Service Offered** Unknown**Comments**

7/20/2020 5:40:08 PM

Reporter Comments

FSO Requested at incident F3033399 on 04 Jul 2020 - Assisted lead investigator
[REDACTED] in the investigation.

[REDACTED]

8/27/2020 10:49:07 AM

Reporter Comments

Cause and classification of fire subject to further investigation.

[REDACTED]

Released under the Official Information Act